



### Warrentinna Drilling Results

Greatland Gold plc (the "Company"), the mineral exploration and development company focused on gold projects in Tasmania and Western Australia, announces results from drilling at its Warrentinna project in Tasmania.

Analyses of single metre mineralised intercepts have been received with results including 2m at 10.64g/t gold.

#### Warrentinna

As previously announced a program of Reverse Circulation ("RC") drilling was completed at the Derby North prospect earlier this year. All RC holes were drilled to a maximum depth of 102m and angled at 60 degrees. Drill hole collar details are presented in Table 1. Initial 4m composite sampling of all drill holes has been completed and results reported during May. A copy of the Derby North Drillhole Plan can be downloaded from the following web address:

<http://www.greatlandgold.com/pdfs/20110720col.pdf>

Single metre sampling of mineralised 4m composites has now been completed and results received.

Table 1 – RC Collars

Hole ID	Prospect	East	North	Dip (degrees)	Azimuth (degrees)	Depth (m)
WTR021	Derby North	561648	5447305	-60	090	100
WTR022	Derby North	561602	5447301	-60	090	102
WTR023	Derby North	561555	5447302	-60	090	100
WTR024	Derby North	561657	5447381	-60	090	100
WTR025	Derby North	561582	5447350	-60	090	100
WTR026	Derby North	561627	5447349	-60	090	100
WTR027	Derby North	561602	5447327	-60	090	99

Co-ordinates – ADG66 ZONE55

The highest single metre result (unaveraged) was 15.94g/t gold from 89m in hole WTR026 in an overall intercept of 3m at 9.34g/t gold from 89m including 2m at 10.64g/t gold from 89m. Significant results are presented in Table 2.



Table 2 – RC Drill Results (&gt;1.0g/t gold)

Hole ID	From	To	Au ppm	Au rpt ppm	Au ave ppm
WTR023	73	74	3.512	1.842	2.677
WTR024	37	38	1.264	1.869	1.567
WTR024	54	55	1.167	1.060	1.114
WTR024	57	58	1.317	-	1.317
WTR024	58	59	3.106	3.128	3.117
WTR024	59	60	1.465	-	1.465
WTR024	60	61	1.528	-	1.528
WTR026	80	81	1.188	-	1.188
WTR026	82	83	6.980	6.537	6.759
WTR026	83	84	2.220	3.592	2.906
WTR026	84	85	1.969	1.351	1.66
WTR026	87	88	1.746	-	1.746
WTR026	88	89	8.622	7.770	8.196
WTR026	89	90	10.224	15.942	13.083
WTR026	90	91	5.595	7.892	6.744
WTR026	98	99	1.373	1.453	1.413
WTR026	99	100	2.304	1.921	2.113

It has been noted that hole WTR026 bottomed in mineralisation at 100m and remains open at depth. Also WTR026 lies adjacent to WTR013 previously drilled by the Company that intersected 5m at 29.26g/t gold from 36m. Initial interpretation of results suggests that drilling has intersected an east plunging high grade shoot which remains open at depth.

All drillhole data will be merged into the Company's database and modelled. The likely plunge of the high grade shoots will be determined and identified as future drill targets.

## Corporate

Callum Baxter, CEO, commented: "Ongoing high grade results from Warrentinna are welcome and the Derby North area has the potential to add



open pit table ounces to the Company's resource base. To advance the property our current preferred option is via a Joint Venture arrangement with a third party. The Company will actively seek a suitable partner. The board is aware of the current market volatility which may persist in the near term. The Company has approximately £1m cash at hand to continue operations.

### **Competent Persons**

*The information in this announcement that relates to exploration results is based on information compiled by Mr Paul Askins and Mr Callum Baxter, directors of Greatland Gold plc, who are both members of the Australasian Institute of Mining and Metallurgy. Paul Askins and Callum Baxter have sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity that they are undertaking to qualify as Competent Persons as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Paul Askins and Callum Baxter consent to the inclusion in the announcement of the matters based on their information in the form and context in which it appears.*

*All RC drill sample results were obtained from 1m composite spear sampling to 4kg. All samples were prepared at Genalysis Laboratory Services' Adelaide facility using single stage pulverisation, and assayed at Genalysis Laboratory Services' Perth laboratory. A 50g Fire Assay with atomic absorption spectrometry analysis technique (AAS) was used for gold.*

*Sample quality control is achieved using standards, duplicates, repeats and blanks.*

*Where the Company has made reference to drill intersections in this announcement, it has interpreted these are at, or near, true widths.*

### **Enquiries:**

Greatland Gold plc  
Callum Baxter  
Tel +44 (0)20 7099 5845  
Email: [info@greatlandgold.com](mailto:info@greatlandgold.com)  
[www.greatlandgold.com](http://www.greatlandgold.com)

Grant Thornton Corporate Finance  
Gerry Beaney / Colin Aaronson  
Tel +44 (0)20 7383 5100